

Product Information

www.vdo.com



Product features:

- Specially designed for side view
- It can also be used as a surveillance ceiling camera
- PAL/NTSC, Normal/Mirror image optional
- The ball camera can be adjusted to desired viewing angle
- The automatic day/night sensor and infrared LEDs to provide clear image in dull condition

Specification

Model	
CHIP BRAND	1/3"SONY CCD
EFFECTIVE PIXELS	PAL:500×582 NTSC:510×492
RESOLUTION	420TVL
SYSTEM	PAL / NTSC
SYNC. SYSTEM	INTERNAL
MINIMUM ILLUMINATION	0LUX (IR LED ON)
S/N RATIO (AGC OFF)	48 dB
WHITE BALANCE	ATW
GAMMA CORRECTION	0.45
ELECTRONIC SHUTTER	PAL:1/50-1/100,000sec;NTSC:1/60-1/100,000
GAIN CONTROL	AUTO
BACK LIGHT COMPENSATION	ON
IR LED(RANGE)	10Pcs Wavelength $\lambda=850\text{nm}$ (6M)
LENS TYPE	2.9mm/F2.0
LENS ANGLE	120°
VIDEO OUTPUT	1 Vpp,75 Ohms
WATERPROOF RATE	IP68
OPERATION TEMP.	-30 ~ +70°C
SUPPLY VOLTAGE	DC6-20V
POWER CONSUMPTION	1.5W(max)
DIMENSION	65mm(L)*92mm(W)*60mm(H)
WEIGHT (g)	200g

